



Enhancing Privacy and Data Management in The Remote Healthcare Systems Using Blockchain Technology

Mohammed Ahmed Abdullah Al-Anzi*

Prince Sattam bin Abdulaziz University.

*Corresponding Author

Mohammed Ahmed
Abdullah Al-Anzi

Prince Sattam bin Abdulaziz
University.

Article History

Received: 16.09.2025

Accepted: 09.12.2025

Published: 03.01.2026



Abstract: The healthcare industry increasingly faces critical challenges related to data privacy, integrity, and system interoperability. This research project presents a blockchain-based healthcare management system built using Hyperledger Fabric, a permissioned blockchain framework designed to ensure secure handling of sensitive medical records. The system architecture includes a secure backend developed with Node.js and Express, and an intuitive frontend using ReactJS. The smart contract (chaincode), written in Go, enables key operations such as patient registration, diagnosis tracking, and logical data deletion. Docker and Docker Compose were utilized for consistent and scalable deployment, while system security was reinforced through JSON Web Token (JWT) authentication and role-based access control. Initial testing under minimal load conditions showed promising results in preserving data immutability, providing transparent audit trails, and enhancing overall system usability. Although comprehensive stress testing was beyond the current scope, the system design demonstrates strong potential for integration into real-world healthcare infrastructures. This project highlights the viability of blockchain in improving the trust, transparency, and security of medical data in remote healthcare environments. Future enhancements may include performance benchmarking under high-load scenarios and improved interoperability with existing healthcare systems.

Keywords: Blockchain, Healthcare Management, Hyperledger Fabric, Data Immutability, Secure Access Control.

Cite this article:

Al-Anzi, M. A. A., (2026). Enhancing Privacy and Data Management in The Remote Healthcare Systems Using Blockchain Technology. *ISAR Journal of Science and Technology*, 4(1), 1-24.

1. Introduction

1.1. Background

In recent years, the healthcare sector has experienced a rapid transformation driven by digital technologies. With the increasing reliance on electronic health records (EHRs), remote diagnostics, and telemedicine, the secure handling of sensitive medical data has become a critical concern. Traditional centralized healthcare systems often face challenges such as data breaches, unauthorized access, and a lack of transparency in how patient information is stored and accessed.

To address these issues, blockchain technology has emerged as a promising solution. Its decentralized, immutable, and transparent nature makes it highly suitable for applications where trust, integrity, and security are paramount. Among the various blockchain frameworks, Hyperledger Fabric stands out as a permissioned blockchain platform that offers fine-grained access

control, high performance, and modular architecture, making it ideal for enterprise-level applications in healthcare.

In this project, we aimed to leverage the capabilities of Hyperledger Fabric to design and implement a secure medical management system. The system ensures that sensitive patient data, including personal details and medical diagnoses, is protected, tamper-proof, and only accessible by authorized users. Our approach integrates blockchain technology with modern web development frameworks to offer a practical, scalable, and secure solution for healthcare institutions.

1.2 Statement of the Problem

Healthcare organizations often struggle with ensuring the security, privacy, and integrity of patient data. Centralized databases are prone to cyberattacks, data manipulation, and single points of failure. Moreover, patients typically have limited control over who



accesses their medical information, and tracking data usage or history is rarely transparent.

These limitations can lead to serious consequences such as unauthorized disclosures, medical fraud, and compromised care quality due to inaccurate or incomplete records. As healthcare services become increasingly digital and interconnected, the demand for a secure and auditable data-sharing infrastructure continues to grow.

We identified the need for a system that provides a trustworthy, decentralized mechanism for storing and accessing medical records—one that ensures data consistency, protects patient privacy, and allows healthcare professionals to interact with the system securely and efficiently.

1.3 Motivation

The motivation behind this project stems from the growing need to address critical challenges in healthcare data management. As data breaches and privacy violations continue to rise, it has become essential to explore advanced technologies that can offer robust protection and transparency. We were particularly inspired by the potential of blockchain to revolutionize the way sensitive data is handled. Unlike traditional systems, blockchain ensures that data remains immutable and verifiable, enabling trust among stakeholders without relying on central authority.

Hyperledger Fabric, with its permissioned model and modular design, provides an enterprise-grade platform capable of enforcing strict access control and delivering high-throughput features that align perfectly with the requirements of modern healthcare environments.

By building a blockchain-based healthcare system, we sought to empower both patients and healthcare providers with secure, real-time access to medical records while minimizing the risks of unauthorized access and data tampering. This motivation guided us throughout the design and development of our solution.

1.4 Objectives of the Project

This project aims to develop a secure and decentralized healthcare management system using Hyperledger Fabric to safeguard patient data integrity and confidentiality while ensuring authorized access. The main objectives are:

1. To design and deploy a tailored blockchain network architecture optimized for healthcare data management, ensuring data immutability, logical deletion capabilities, and a tamper-proof audit trail.
2. To implement secure and auditable smart contracts (chaincode) that govern core healthcare functions, including patient registration, medical diagnosis, and data access queries, while maintaining full transaction visibility and traceability.
3. To develop a full-stack web application featuring an intuitive React-based frontend for patients, doctors, and administrators, supported by a robust Node.js and Express backend API that interfaces securely with the blockchain network.
4. To integrate comprehensive security and monitoring frameworks including JWT-based authentication for

access control and session management, alongside Blockchain Explorer for real-time network oversight, transaction auditing, and compliance verification.

1.5 Scope and Limitations

1. Scope

This project involves developing a blockchain-based healthcare management prototype using Hyperledger Fabric. Key deliverables include: a permissioned blockchain network, smart contracts for patient and diagnosis management, a React-based user interface, a Node.js/Express backend with JWT authentication, and integrated Blockchain Explorer for monitoring.

2. Limitations

The system is a proof-of-concept not yet scaled for production. It does not integrate with existing healthcare systems (HIS/EMR), operates in a local Docker environment without cloud deployment, and excludes full regulatory compliance validation.

2. Literature Review

2.1 Overview of Healthcare Data Management Systems

Healthcare data management systems have evolved significantly over the past few decades, transitioning from paper-based records to digital platforms known as Electronic Health Records (EHRs) and Electronic Medical Records (EMRs). These systems aim to improve the efficiency of healthcare delivery by enabling storage, retrieval, and sharing of patient information across different healthcare providers [10].

Traditional healthcare information systems are typically centralized, relying on hospital servers or third-party cloud providers to store and manage sensitive data [4]. While these systems offer improved accessibility and operational convenience, they often suffer from several critical issues. First, there are Single Points of Failure: if the central server is compromised or unavailable, access to patient data may be lost or delayed. Second, there is Limited Interoperability; many healthcare systems operate in silos, making it difficult to exchange data securely across institutions. Third, there is a Lack of Transparency: patients usually have little visibility into how their data is used, who has accessed it, or when modifications were made. As the volume of medical data grows and healthcare delivery becomes more distributed, these limitations pose increasing risks to data integrity, confidentiality, and availability. The need for a more secure, transparent, and patient-centered approach to healthcare data management has become a driving force for exploring innovative technologies like blockchain [4].

2.2 Security and Privacy Concerns in Healthcare

The healthcare industry handles some of the most sensitive and personal information of individuals, including medical histories, diagnostic results, prescriptions, and insurance data. Ensuring the privacy and security of this data is not only a technical necessity but also a legal and ethical obligation [14]. Despite advancements in digital healthcare systems, security breaches continue to affect the industry at alarming rates [11]. Common vulnerabilities include unauthorized access, where weak access controls or insider threats can lead to data leaks or manipulation; data breaches, as cyberattacks like ransomware and phishing often target healthcare

institutions due to the high value of medical data; and insecure data sharing, where sharing patient information between departments or organizations without proper encryption or auditing mechanisms exposes the data to interception and misuse.

In many cases, patients lack control over their personal data and are unaware of who has accessed it or for what purpose. This undermines trust in healthcare institutions and may lead to reluctance in sharing critical information, which in turn affects the quality of care [13]. Privacy regulations like HIPAA (Health Insurance Portability and Accountability Act) in the U.S. and GDPR (General Data Protection Regulation) in the EU have established strict guidelines for data protection [14]. However, compliance alone is not enough. There is a growing consensus that conventional approaches are insufficient to handle the scale, complexity, and sensitivity of modern healthcare data [4]. As a result, the industry is actively exploring new models, such as decentralized data management using blockchain, that can offer higher levels of transparency, auditability, and resilience against tampering [4].

2.3 Blockchain Technology in Healthcare

Blockchain technology has emerged as a transformative force in sectors requiring high levels of trust, transparency, and data integrity. In healthcare, where patient privacy and accurate medical records are critical, the decentralized and immutable nature of blockchain offers a compelling alternative to conventional data management systems [4]. Traditional healthcare data storage relies on centralized databases managed by hospitals, insurers, or third-party providers, which are susceptible to breaches, unauthorized access, and interoperability issues [11]. Blockchain addresses these vulnerabilities through:

- **Immutability:** Once recorded, medical data cannot be altered or deleted.
- **Decentralization:** Eliminates single points of failure and enables distributed access among verified participants.
- **Transparency and Auditability:** All transactions are traceable, creating a complete and verifiable history of data access and modifications.
- **Granular Access Control:** Platforms such as Hyperledger Fabric implement role-based access and identity management via Membership Service Providers (MSPs).

2.4 Use Cases of Blockchain in Healthcare

Several real-world implementations and research initiatives illustrate the practical application of blockchain in healthcare:

- **MedRec (MIT Media Lab, USA):** A research prototype built on Ethereum that provides a decentralized medical record management system, offering patients and clinicians a unified, auditable view of medical histories across institutions [3].
- **Estonia's National eHealth Infrastructure:** As a leader in e-governance, Estonia integrated blockchain into its national health system to ensure data integrity and transparency. The system logs all accesses to patient records, granting citizens control and full audit capability [7].

- **MyClinic.com (UAE and UK):** A platform enabling telemedicine and secure medical record access via blockchain, allowing patients to grant temporary data access to healthcare providers [6].
- **Healthereum (USA):** An initiative leveraging blockchain to enhance patient engagement and data security within health ecosystems.

These cases demonstrate blockchain's potential to improve trust, interoperability, and security in healthcare. However, challenges related to scalability, regulatory compliance, and integration with existing IT infrastructure remain and warrant further investigation [4].

2.5 Public vs. Permissioned Blockchains

Blockchain networks are broadly categorized into public and permissioned models, each with distinct characteristics that influence their suitability for healthcare applications [4].

Public Blockchains (e.g., Ethereum, Bitcoin):

- Open and decentralized; anyone can participate in transaction validation.

Challenges in healthcare include performance limitations (due to consensus mechanisms such as Proof of Work), reduced data privacy (all transactions are visible), and lack of formal governance structures [9].

Permissioned Blockchains (e.g., Hyperledger Fabric, R3 Corda): Restricted to authenticated participants, with access controlled through identity management. Advantages for healthcare include granular access control, higher throughput and scalability (using efficient consensus protocols such as Raft), and enhanced data confidentiality through private data collections and channels [1]. The table I shows the Comparison Summary

Table 1: Public vs Permissioned Blockchain: Healthcare Comparison

Feature	Public Blockchain	Permissioned Blockchain
Accessibility	Open to anyone	Restricted to known entities
Performance	Low	High
Privacy	Weak	Strong (with access control)
Governance	Decentralized	Managed by consortium or organization
Suitability for Healthcare	Poor	Excellent

Given these factors, we selected Hyperledger Fabric, a permissioned blockchain framework, to serve as the foundation for our healthcare management system. It provides the necessary security, control, and performance required for handling medical records in a trusted environment [1].

2.6 Hyperledger Fabric as a Blockchain Framework

Hyperledger Fabric is an open-source, enterprise-grade blockchain platform developed under the Linux Foundation's Hyperledger Project [2]. Designed to support modular, permissioned networks,

it is particularly well-suited for institutional and regulated environments such as healthcare.

2.6.1 Key Features Relevant to Healthcare

1. Permissioned Membership

Unlike public blockchains, Hyperledger Fabric operates within a permissioned network where every participant is authenticated via cryptographic certificates issued by a Certificate Authority (CA). This ensures robust identity management, which is critical in healthcare for protecting sensitive patient data [1].

2. Modular Architecture

Fabric employs a modular design that separates transaction ordering, endorsement, and commitment processes. This architecture enhances scalability and flexibility, enabling healthcare networks to expand incrementally while clearly delineating responsibilities among hospitals, clinics, and regulatory bodies [1].

3. Chaincode (Smart Contracts)

Chaincode, Fabric's implementation of smart contracts—can be written in Go, Java, or Node.js. It encapsulates the business logic of the blockchain application. In this project, chaincode was developed to manage patient records, diagnoses, and validation workflows, ensuring compliance with healthcare policies [1].

4. Private Channels and Data Collections

Fabric supports the creation of private channels and data collections, allowing confidential transactions among subsets of participants. This feature is essential in healthcare contexts where access to patient records must be restricted to authorized personnel or departments [1].

5. Pluggable Consensus Mechanisms

Fabric offers configurable consensus protocols. For this healthcare application, the Raft consensus algorithm was selected due to its high throughput, fault tolerance, and operational simplicity compared to Byzantine Fault Tolerance (BFT) mechanisms [8].

6. Rich Query Support

By integrating CouchDB as a state database, Fabric enables complex queries over JSON-formatted data. This capability supports advanced healthcare analytics, reporting, and filtered access to patient information [1].

2.6.2 Rationale for Selecting Hyperledger Fabric

Hyperledger Fabric was chosen for this project due to its alignment with the stringent requirements of the healthcare sector. Key justifications include:

1. Fine-grained access control suitable for protecting confidential medical records. A robust identity management framework for authenticating diverse user roles (doctors, patients, administrators).
2. Enhanced auditability and transaction traceability. Enterprise-grade performance and scalability [1]. These characteristics collectively address the privacy, reliability, and accountability demands inherent in healthcare data management.

2.7 Gaps in Existing Literature

Despite growing interest in blockchain applications for healthcare, a review of the literature reveals several unresolved gaps that impede real-world adoption. Many proposed systems remain conceptual or prototypical, with few deployed in live clinical settings due to regulatory challenges, integration difficulties with legacy systems, and insufficient institutional blockchain expertise [4]. Additionally, existing frameworks often lack fine-grained, role-based access control distinguishing between doctors, patients, and administrators [14]. Scholarly work frequently prioritizes backend architecture while underemphasizing user-friendly frontend interfaces [13], creating a disconnect between technical capability and practical usability. Furthermore, there is limited discussion on mechanisms for logical deletion of medical records [13], and most studies evaluate blockchain performance under controlled conditions rather than realistic transaction volumes and distributed environments [4]. These gaps informed the present study's aim to develop a practical, user-centered healthcare system addressing security, usability, role-based access, and scalable performance.

3. Methodology

3.1 System Design and Architecture

The system was designed using a full-stack architecture integrating blockchain technology with modern web development frameworks to create a secure, modular, and user-friendly healthcare data management system. The architecture ensures seamless interaction between the user interface, backend services, and the underlying blockchain infrastructure. The technology stack was selected based on performance, scalability, security, and integration capabilities.

3.2 Tools and Technologies

3.2.1 Technology Stack Overview

The development of the blockchain-based healthcare system employed the following tools and technologies:

- Blockchain Layer: Hyperledger Fabric (v2.5+) for decentralized, permissioned ledger management.
- Smart Contract Layer: Chaincode developed in Go to handle patient registration, diagnosis logging, and data queries.
- Backend Server: Node.js with Express.js to provide RESTful APIs, authentication, and blockchain integration.
- Frontend Interface: ReactJS for role-specific user panels (Doctor Panel, Patient Viewer, Admin Panel).
- Containerization: Docker and Docker Compose for isolated, reproducible deployment of all system components.
- Monitoring: Hyperledger Blockchain Explorer for real-time network visibility and auditing.
- Supporting Tools: JWT for authentication, bcrypt for password hashing, Axios for HTTP communication, dotenv for environment configuration, and the Hyperledger Fabric SDK for Node.js.

3.2.2 Hyperledger Fabric

Hyperledger Fabric was selected as the foundational blockchain framework due to its permissioned nature, modular architecture, and enterprise-grade security. The network was configured with:

One channel (mychannel) connecting all peers.

Two organizations (Org1, Org2), each with peer nodes and a Certificate Authority (CA).

A Raft-based ordering service for transaction consensus.

Membership Service Providers (MSPs) for identity and access management.

3.2.3 Chaincode (Go)

Chaincode implemented in Go defined the business logic for patient data management. Core functions included:

- AddPatient – Registers new patient records.
- QueryPatient – Retrieves patient data by ID.
- AddDiagnosis – Appends diagnosis entries with timestamps.
- DeletePatient – Logically deactivates records without removal.
- ValidatePatient – Verifies patient existence and credentials.

Patient data was structured in JSON format with fields for ID, name, age, blood type, diagnosis history, last updated timestamp, and active status. The primary data model for patient records is defined as in Table 2.

Table 2: Patient Data Structure Used in Chaincode

Field Name	Data Type	JSON Key	Description
ID	string	id	A unique identifier assigned to each patient.
Name	string	name	The full name of the patient.
Age	int	age	The age of the patient.
BloodType	string	bloodType	The patient's blood group (e.g., A+, B-).
Diagnosis	[]string	diagnosis	A list of diagnosis entries associated with the patient.
LastUpdated	string	lastUpdated	Timestamp of the most recent update to the patient's record.
Active	bool	active	Indicates whether the patient record is currently active.

This structure allows flexibility for future extensions, such as adding allergies, medications, or medical history.

3.2.4 Backend API (Node.js and Express)

The backend served as the intermediary between the frontend and blockchain, providing:

RESTful endpoints for login, patient management, and diagnosis updates.

JWT-based authentication and bcrypt password hashing.

Integration with Hyperledger Fabric SDK for transaction submission and evaluation.

Environment-based configuration using dotenv. Table 3 provides a detailed overview of key API endpoints, describing their functionality and role in enabling secure interactions between the frontend and backend components of the healthcare system.

Table 3: Medical API Endpoint Reference

Endpoint	Method	Description	Access
/login	POST	Authenticates a user and returns a JWT	Public
/addPatient	POST	Adds a new patient to the blockchain ledger	Doctor only
/getPatient/:id	GET	Retrieves patient data by ID	Doctor/Patient
/addDiagnosis	POST	Appends a new diagnosis to patient record	Doctor only
/resetPassword	POST	Allows admin to reset user credentials	Admin only

3.2.5 Frontend Interface (ReactJS)

The frontend was developed with ReactJS to offer role-specific interfaces:

- Doctor Panel: For adding patients and diagnoses.
- Patient Viewer: For reviewing medical records.
- Admin Reset Panel: For credential management.
- Components were built with reusable UI elements, state management via React hooks, and secure API communication using Axios with JWT headers.

3.2.6 Containerization (Docker and Docker Compose)

Docker containers were used to encapsulate each system component, ensuring consistent deployment. Docker Compose orchestrated multi-container services, including Fabric peers, orderers, CAs, backend API, and Blockchain Explorer. Persistent volumes preserved ledger data and cryptographic materials.

3.2.7 Blockchain Explorer

Hyperledger Blockchain Explorer was deployed to monitor network activity, providing a GUI for viewing blocks, transactions, channels, and chaincode details. It was configured with a connection profile and PostgreSQL database for metadata storage.

Table 4 provides a structured reference for commonly used configuration paths within the system, ensuring clarity and consistency in setup and integration.

Table 4: Typical Configuration Paths

Component	Path/Setting
Connection Profile	/blockchain-explorer/connection-profile/connection-org1.json
Admin Certificates	/crypto-config/peerOrganizations/org1.example.com/users/Admin@org1.example.com/msp
Explorer UI Port	localhost:8080
PostgreSQL Database	Connected via Docker internal network with default credentials

Integrating Blockchain Explorer into our system has provided significant advantages, enhancing transparency, traceability, and auditability. Its key benefits include:

- **Real-time Visibility:** Enables tracking of every transaction submitted by users or through APIs.
- **Debugging Tool:** Helps diagnose transaction failures, endorsement mismatches, or chaincode issues.
- **Demonstration Utility:** Provides a visual proof of immutability and data integrity for stakeholders and evaluators.

3.2.8 Supporting Tools and Libraries

Additional libraries enhanced functionality:

- JWT for stateless authentication.
- bcrypt for secure password storage.
- Axios for frontend-backend HTTP communication.
- React Router for frontend navigation.

- PostgreSQL for Blockchain Explorer's database.

3.3 System Architecture

3.3.1 High-Level Overview

The system is structured in three primary layers:

- **Blockchain Network (Hyperledger Fabric):** Provides a decentralized, immutable ledger for healthcare data.
- **Backend API (Node.js/Express):** Handles business logic, authentication, and blockchain interactions.
- **Frontend (ReactJS):** Delivers user interfaces for doctors, patients, and administrators.

This multi-layered approach allows us to balance the robustness of blockchain technology with the flexibility and responsiveness of modern web applications. It also ensures that security and privacy are maintained at every stage of data handling, from the creation and storage of records on the blockchain to the controlled access provided by our web interfaces.




Figure 1: System Overview

3.3.2 Blockchain Network Architecture

The Fabric network includes:

- Channels: A single channel (mychannel) for shared ledger access.
- Peers: Endorsing and committing peers per organization.
- Ordering Service: Raft consensus for transaction ordering.

- CAs and MSPs: For identity management and access control.
- Chaincode: Deployed in isolated Docker containers.

By leveraging these components, our blockchain network provides a robust and secure platform that meets the stringent requirements of healthcare data management. The integration of these components ensures that every transaction is transparent, verifiable, and resistant to tampering, which is fundamental for maintaining trust in our healthcare system.




Figure 2: Blockchain Network Architecture

3.3.3 Frontend Architecture

Built with ReactJS, the frontend uses component-based design, React Router for navigation, and Axios for API communication. Role-based panels ensure appropriate access and functionality.

By combining these elements, the frontend architecture effectively bridges the gap between end users and the complex backend blockchain operations. It enables a smooth, secure, and intuitive interface for managing healthcare data while preserving the underlying integrity of the blockchain system.




Figure 3: Frontend Architecture

3.3.4 Backend Architecture

The backend implements RESTful APIs, JWT middleware, and Fabric SDK integration. It validates requests, manages user wallets, and interfaces with the blockchain network.

Figure 4 is a simplified representation of the backend architecture.




Figure 4: Backend Architecture

This layered architecture ensures the system is modular, secure, and scalable. By isolating blockchain interactions behind a well-

defined API, the backend simplifies the integration between the user-facing components and the complex operations occurring on the blockchain.

3.3.5 Integration and Communication Flow

- Frontend sends HTTP requests (with JWT) to backend APIs.
- Backend validates requests and uses Fabric SDK to submit transactions.
- Transactions are endorsed, ordered, and committed to the ledger.
- Backend responds to frontend with transaction results.




Figure 3.5: Communication Flow Diagram

This layered integration facilitates a robust and scalable system where each component handles its specialized tasks while maintaining overall coherence. By decoupling the frontend from direct blockchain interactions and using secure API calls and JWT-based authentication, we ensure that the system remains both flexible and secure.

3.3.6 Security and Identity Management

Security is enforced through:

- TLS for encrypted communication.
- JWT tokens for API authentication.
- Role-based access control at API and chaincode levels.
- Digital signatures for all blockchain transactions.
- Logical deletion to preserve data immutability while marking records inactive.

3.4 Smart Contract Design

3.4.1 Design Principles

Smart contracts were designed for modularity, security, and compliance with healthcare regulations. Key principles included immutability, logical deletion, and role-based access control.

3.4.2 Architecture and Data Models

Chaincode is modular, with functions grouped by purpose (patient management, diagnosis, queries). Data is modeled as JSON objects with fields for patient ID, name, age, blood type, diagnosis list, last updated timestamp, and active flag.

3.4.3 Core Functions

- AddPatient: Registers new patients after validating uniqueness.
- QueryPatient: Retrieves patient data by ID.
- AddDiagnosis: Appends diagnoses with timestamps.
- DeletePatient: Logically deactivates records.
- ValidatePatient: Verifies patient existence and data integrity.

3.4.4 Security and Validation

Each function includes input validation, error handling, and role-based access checks. Transactions are digitally signed, and all actions are logged for auditability.

3.4.5 Testing and Future Enhancements

Unit, integration, and error-handling tests were conducted to verify functionality. Performance was evaluated in terms of throughput and latency. Future enhancements may include scalability improvements, advanced analytics, and integration with external healthcare systems.

4. Implementation and Integration

4.1 Environment Setup and Configuration

A multi-tier development environment was established using containerization and standardized configurations to ensure consistency across deployments. The setup involved:

- Tool Installation: Docker, Node.js, npm, and Go were installed locally.
- Hyperledger Fabric Network Configuration: Cryptographic material was generated, and configuration files (configtx.yaml, crypto-config.yaml) were customized. A single channel (mychannel) was created.
- Containerization: Docker Compose orchestrated Fabric components, backend API, and Blockchain Explorer.
- Environment Variables: Sensitive parameters were managed via a .env file.

The following figures illustrate the development environment setup:




Figure 4: Project container




Figure 5: Docker versions used

```

ubuntu@ubuntuserver2204:~$ systemctl status docker
● docker.service - Docker Application Container Engine
   Loaded: loaded (/usr/lib/systemd/system/docker.service; enabled; preset: enabled)
   Active: active (running) since Tue 2025-04-01 22:17:22 UTC; 24min ago
   TriggeredBy: ● docker.socket
     Docs: https://docs.docker.com
    Main PID: 1799 (dockerd)
      Tasks: 282
     Memory: 178.2M (peak: 186.7M)
        CPU: 14.455s
     CGroup: /system.slice/docker.service
             └─1799 /usr/bin/dockerd -H fd:// --containerd=/run/containerd/containerd.sock
                 2332 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 9000 -container-ip 172.17.0.2 -container-port 9000 -use-listen-fd
                 2338 /usr/bin/docker-proxy -proto tcp -host-ip :: -host-port 9000 -container-ip 172.17.0.2 -container-port 9000 -use-listen-fd
                 4307 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 8080 -container-ip 172.18.0.2 -container-port 8080 -use-listen-fd
                 4317 /usr/bin/docker-proxy -proto tcp -host-ip :: -host-port 8080 -container-ip 172.18.0.2 -container-port 8080 -use-listen-fd
                 4497 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 9051 -container-ip 172.18.0.4 -container-port 9051 -use-listen-fd
                 4515 /usr/bin/docker-proxy -proto tcp -host-ip :: -host-port 9051 -container-ip 172.18.0.4 -container-port 9051 -use-listen-fd
                 4523 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 9445 -container-ip 172.18.0.4 -container-port 9445 -use-listen-fd
                 4530 /usr/bin/docker-proxy -proto tcp -host-ip :: -host-port 9445 -container-ip 172.18.0.4 -container-port 9445 -use-listen-fd
                 4652 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 7050 -container-ip 172.18.0.5 -container-port 7050 -use-listen-fd
                 4659 /usr/bin/docker-proxy -proto tcp -host-ip :: -host-port 7050 -container-ip 172.18.0.5 -container-port 7050 -use-listen-fd
                 4669 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 7053 -container-ip 172.18.0.5 -container-port 7053 -use-listen-fd
                 4679 /usr/bin/docker-proxy -proto tcp -host-ip :: -host-port 7053 -container-ip 172.18.0.5 -container-port 7053 -use-listen-fd
                 4695 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 9443 -container-ip 172.18.0.5 -container-port 9443 -use-listen-fd
                 4703 /usr/bin/docker-proxy -proto tcp -host-ip :: -host-port 9443 -container-ip 172.18.0.5 -container-port 9443 -use-listen-fd
                 4848 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 7051 -container-ip 172.18.0.6 -container-port 7051 -use-listen-fd
                 4854 /usr/bin/docker-proxy -proto tcp -host-ip :: -host-port 7051 -container-ip 172.18.0.6 -container-port 7051 -use-listen-fd
                 4865 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 9444 -container-ip 172.18.0.6 -container-port 9444 -use-listen-fd
                 4873 /usr/bin/docker-proxy -proto tcp -host-ip :: -host-port 9444 -container-ip 172.18.0.6 -container-port 9444 -use-listen-fd
                 5066 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 7054 -container-ip 172.18.0.7 -container-port 7054 -use-listen-fd
                 5073 /usr/bin/docker-proxy -proto tcp -host-ip :: -host-port 7054 -container-ip 172.18.0.7 -container-port 7054 -use-listen-fd
                 5083 /usr/bin/docker-proxy -proto tcp -host-ip 0.0.0.0 -host-port 17054 -container-ip 172.18.0.7 -container-port 17054 -use-listen-fd

```

Figure 6: Docker Service Status

```

ubuntu@ubuntuserver2204:~$ node -v
v18.20.8
npm -v
10.8.2
ubuntu@ubuntuserver2204:~$

```

Figure 7: Node and npm versions used

```

ubuntu@ubuntuserver2204:~$ go version
go version go1.22.2 linux/amd64
ubuntu@ubuntuserver2204:~$

```

Figure 8: Go language versions used

4.2 Blockchain Network Deployment and Chaincode Installation

The official Hyperledger Fabric test network was adapted to meet project requirements. The deployment process included:

- Leveraging Test Network: Cloned Fabric samples and customized configurations.

- Network Deployment: Launched via Docker Compose with CAs, peers, and orderers.
- Chaincode Deployment: Go-based chaincode (healthcarecc) was installed, approved, and committed to the channel.

The following figures illustrate key steps in the deployment process:

```

ubuntu@ubuntuserver2204:~/fabric-operations-console/fabric-samples/test-network$ ./network.sh up createChannel -c mchannel -ca
./network.sh deployCC -ccn healthcarecc -ccp ./chaincode -ccl go
Using channel 'mchannel'
Creating channel 'mchannel'
Using channel 'mchannel'
Network Running Already
Using docker-compose
Generating channel genesis block 'mchannel.block'
2025-04-01 22:18:27.227 UTC [common.tools.configtxgen.localconfig] completeInitialization -> Orderer.FtdRaft.Options unset, setting to tick_interval:"500ms" election_tick:1
0 heartbeat tick:1 max_inflight_blocks:5 snapshot interval size:16777216
2025-04-01 22:18:27.227 UTC [common.tools.configtxgen.localconfig] load -> Loaded configuration: /home/ubuntu/fabric-operations-console/fabric-samples/test-network/configtx/
configtx.yaml
2025-04-01 22:18:27.227 UTC [common.tools.configtxgen] addOutputBlock -> Generating genesis block
2025-04-01 22:18:27.227 UTC [common.tools.configtxgen] addOutputBlock -> Creating application channel genesis block
2025-04-01 22:18:27.227 UTC [common.tools.configtxgen] addOutputBlock -> Writing genesis block

```

Figure 9: Verify network deployment and prepare to deploy nodes and channels.

```

creating channel mchannel
Adding orderers
+ . scripts/orderer.sh mchannel
+ '[' 0 -eq 1 ']'
+ res=0
Error: failed to read chaincode package at 'healthcarecc.tar.gz': open healthcarecc.tar.gz: no such file or directory
Status: 201
{
  "name": "mchannel",
  "url": "/participation/v1/channels/mchannel",
  "consensusRelation": "consenter",
  "status": "active",
  "height": 1
}
Channel 'mchannel' created

```

Figure 10: Create a channel

```

2025-04-01 23:03:07.416 UTC 0001 INFO [channelCmd] InitCmdFactory -> Endorser and orderer connections initialized
2025-04-01 23:03:07.432 UTC 0002 INFO [channelCmd] update -> Successfully submitted channel update
Anchor peer set for org 'Org1MSP' on channel 'mchannel'
Setting anchor peer for org2...
Using organization 2
Fetching channel config for channel mchannel
Using organization 2
Fetching the most recent configuration block for the channel

```

Figure 11: Join the first node of the channel

```

2025-04-01 23:03:07.899 UTC 0001 INFO [channelCmd] InitCmdFactory -> Endorser and orderer connections initialized
2025-04-01 23:03:07.915 UTC 0002 INFO [channelCmd] update -> Successfully submitted channel update
Anchor peer set for org 'Org2MSP' on channel 'mchannel'
Channel 'mchannel' joined
Using docker and docker-compose
deploying chaincode on channel 'mychannel'

```

Figure 12: Attach the second node to the channel.

4.3 Backend API Implementation and Integration

The backend, built with Node.js and Express, acted as an intermediary between frontend and blockchain. Key responsibilities included:

API endpoint management (login, patient management, diagnosis updates)

- Blockchain interaction via Hyperledger Fabric SDK
- JWT-based authentication and role-based access control
- Data validation and logging
- The following figures illustrate critical backend operations and error handling:

```

ubuntu@ubuntuserver2204: ~/healthcare-system/backend
ubuntu@ubuntuserver2204:~/healthcare-system/backend$ npm start
> backend@1.0.0 start
> node server.js
✓ API Server running at http://localhost:3050

```

Figure 13: The backend ran successfully


Doctor Login

Username

doctor

Password

Login

Invalid username or password

Figure 14: Error login attempt to simulate backend validation

```

ubuntu@ubuntu-server2204:~/healthcare-system/backend$ docker stop $(docker ps -aq)
6d65bf87a973
44d1127045ff
37ebc22f743c
5cfc5623cf55
8b663d7c74fb
00cc296594af
111a9f4042f9
50955714fdcc
ba8c941366a5
8422f4405431
931e99485c91
90a50b31a67d
ubuntu@ubuntu-server2204:~/healthcare-system/backend$ S

```

Figure 15: Stopping network containers to monitor the behavior of the backend

```

API Server running at http://localhost:3000
2025-04-01T23:26:02.989Z - error: [ServiceEndpoint]: Error: Failed to connect before the deadline on Endorser- name: peer0.org:example.com, url:grpc://localhost:7051, connected: false, connectAttempted: true
2025-04-01T23:26:02.992Z - error: [ServiceEndpoint]: waitReady - Failed to connect to remote gRPC server peer0.org:example.com url:grpc://localhost:7051 timeout:3000
2025-04-01T23:26:02.992Z - info: [NetworkConfig]: buildPeer - Unable to connect to the endorser peer0.org:example.com due to Error: Failed to connect before the deadline on Endorser- name: peer0.org:example.com, url:grpc://localhost:7051, connected: false, connectAttempted: true
  at checkState (/home/ubuntu/healthcare-system/backend/node_modules/@grpc/grpc-js/build/src/client.js:78:26)
  at Timeout._onTimeout (/home/ubuntu/healthcare-system/backend/node_modules/@grpc/grpc-js/build/src/internal-channel.js:570:17)
  at listOnTimeout (node:internal/timers:569:17)
  at process.processTimers (node:internal/timers:512:7) {
    connectFailed: true
  }
2025-04-01T23:26:03.086Z - error: [ServiceEndpoint]: Error: Failed to connect before the deadline on Endorser- name: peer0.org:example.com, url:grpc://localhost:7051, connected: false, connectAttempted: true
2025-04-01T23:26:03.087Z - error: [ServiceEndpoint]: waitReady - Failed to connect to remote gRPC server peer0.org:example.com url:grpc://localhost:7051 timeout:3000
2025-04-01T23:26:03.087Z - info: [NetworkConfig]: buildPeer - Unable to connect to the endorser peer0.org:example.com due to Error: Failed to connect before the deadline on Endorser- name: peer0.org:example.com, url:grpc://localhost:7051, connected: false, connectAttempted: true
  at checkState (/home/ubuntu/healthcare-system/backend/node_modules/@grpc/grpc-js/build/src/client.js:78:26)
  at Timeout._onTimeout (/home/ubuntu/healthcare-system/backend/node_modules/@grpc/grpc-js/build/src/internal-channel.js:570:17)
  at listOnTimeout (node:internal/timers:569:17)
  at process.processTimers (node:internal/timers:512:7) {
    connectFailed: true
  }
2025-04-01T23:26:06.007Z - error: [ServiceEndpoint]: Error: Failed to connect before the deadline on Discoverer- name: peer0.org:example.com, url:grpc://localhost:7051, connected: false, connectAttempted: true
2025-04-01T23:26:06.007Z - error: [ServiceEndpoint]: waitReady - Failed to connect to remote gRPC server peer0.org:example.com url:grpc://localhost:7051 timeout:3000
2025-04-01T23:26:06.008Z - error: [ServiceEndpoint]: ServiceEndpoint grpc://localhost:7051 reset connection failed :: Error: Failed to connect before the deadline on Discoverer- name: peer0.org:example.com, url:grpc://localhost:7051, connected: false, connectAttempted: true
2025-04-01T23:26:06.008Z - error: [DiscoveryService]: send(mychannel) - no discovery results
2025-04-01T23:26:06.008Z - error: [ServiceEndpoint]: Error: Failed to connect before the deadline on Discoverer- name: peer0.org:example.com, url:grpc://localhost:7051, connected: false, connectAttempted: true
2025-04-01T23:26:06.008Z - error: [ServiceEndpoint]: waitReady - Failed to connect to remote gRPC server peer0.org:example.com url:grpc://localhost:7051 timeout:3000
2025-04-01T23:26:06.008Z - error: [ServiceEndpoint]: ServiceEndpoint grpc://localhost:7051 reset connection failed :: Error: Failed to connect before the deadline on Discoverer- name: peer0.org:example.com, url:grpc://localhost:7051, connected: false, connectAttempted: true

```

Figure 16: Network failure detected

4.4 Frontend Deployment and User Interface Integration

The React-based frontend provided role-specific interfaces:

Doctor Panel: Patient and diagnosis management

Patient Viewer: Read-only record access

Admin Panel: User and credential management

State management used React Hooks; API communication used Axios with JWT. The application was built and served via a static web server.

The following figures provide an overview of the user interface functionality across different roles:

```

Compiled successfully!

You can now view doctor-portal in the browser.

Local:      http://localhost:3001
On Your Network:  http://192.168.8.122:3001

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully

```

Figure 17: doctor Interface Operation Status

```

Compiled successfully!

You can now view admin-portal in the browser.

Local:      http://localhost:3004
On Your Network:  http://192.168.8.122:3004

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully

```

Figure 18: admin Interface Operation Status

```
Compiled successfully!

You can now view patient-portal in the browser.

  Local:            http://localhost:3002
  On Your Network:  http://192.168.8.122:3002

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
```

Figure 19: Patient Interface Operation Status

+

Add New Patient

Id

Name

Age

BloodType

Username

Add Patient

+

Add Diagnosis

Id

Diagnosis

Add Diagnosis

📋

All Patients

↻

Refresh List

ID	Name	Age	Blood Type	Diagnosis	Actions
AA500	TEST	30	O	N/A	🗑 Delete
MM600	Test	25	A+	N/A	🗑 Delete

Figure 20: Doctor's interface



Welcome, Patient!

Enter Patient ID

[View Record](#)



Patient Information

**ID:** AA500

**Name:** TEST

**Age:** 30

**Blood Type:** O

**Diagnosis:** No diagnosis yet

Figure 21: Patient interface



Admin Password Reset

Patient ID

AA500

New Password

....

Reset Password



☒ Password reset for TEST

Figure 22: admin interface

4.5 Integration Testing, Troubleshooting, and Deployment Challenges

A comprehensive testing strategy was employed:

- End-to-End Testing: Validated full transaction flow
- Component Testing: Verified individual modules
- Stress Testing: Assessed performance under load
- Challenges included network connectivity, authentication failures, chaincode deployment errors, and performance bottlenecks. Mitigation involved iterative testing, enhanced logging, Docker Compose health checks, and configuration tuning.

4.6 Technical and Integration Challenges

Key challenges and their impacts:

- Component Interoperability: Required extensive configuration to ensure seamless communication.
- Configuration Complexity: Minor misconfigurations led to network instability.
- Container Orchestration: Dependency management was critical for service synchronization.
- Blockchain Network Integration: Latency issues required performance tuning.

4.7 Solutions and Mitigation Strategies

Targeted strategies were implemented:

- Modular API Design: Abstracted blockchain logic from business logic.

- Centralized Configuration: Used .env files and regular audits.
- Docker Compose Health Checks: Ensured service readiness.
- JWT and Role-Based Access: Enhanced security.
- Logical Deletion: Maintained compliance without breaking immutability.
- Performance Testing: Identified and resolved bottlenecks.
- These measures ensured a robust, secure, and scalable system.

5 Results and Analysis

This chapter delves into the comprehensive evaluation of system results, analyzing performance metrics, transaction efficiency, user experience, and interface design, while assessing security measures and data integrity to provide a holistic understanding of the system’s effectiveness and areas for improvement.

5.1 Overview of System Results

Our blockchain-based healthcare management system has demonstrated significant progress in achieving its core objectives of enhancing data integrity, security, and accessibility. In this section, we provide a high-level summary of the results obtained throughout the project.

Table 5.1 provides a structured overview of the key achievements and results of the healthcare blockchain implementation, highlighting its impact on security, efficiency, and scalability.

Table 5: Healthcare Blockchain Implementation Outcomes Summary

Result Aspect	Summary
Data Integrity and Immutability	The system has successfully ensured that all patient data remains tamper-proof, leveraging the immutable properties of Hyperledger Fabric.
Secure Access Control	Robust role-based access control has been implemented using JWT authentication and Fabric’s MSP, ensuring that only authorized users (doctors, patients, admins) can perform sensitive operations.
Performance Efficiency	Through iterative testing and performance tuning, the network has demonstrated satisfactory throughput and low latency, even under moderate transaction loads.
User Interface and Experience	The React-based frontend has provided an intuitive and responsive experience, with user feedback indicating high satisfaction in terms of accessibility and ease of use.
Comprehensive Audit Trails	Every transaction is recorded with detailed audit trails, facilitating compliance with healthcare regulations and enabling transparent system monitoring.

The system's key features ensure a secure, efficient, and scalable healthcare data management platform:

- **Reliable Blockchain Integration:**

Our deployment of Hyperledger Fabric—modified from the official test network—has proven effective in managing a secure, distributed ledger that handles all critical patient data operations.

- **Seamless Component Integration:**

The backend API, built on Node.js and Express, has integrated smoothly with both the frontend and the blockchain, ensuring that data flows reliably and securely across all layers.

- **Scalable Deployment Environment:**

Utilizing Docker and Docker Compose, our environment setup has enabled efficient management of multiple containers and ensured that the system is portable and scalable for future expansion.

- **Effective Error Handling and Security Measures:**

Rigorous input validation, error handling, and security checks have contributed to a robust system where data integrity and user trust are maintained throughout all operations.

5.2 Performance and Transaction Analysis

In the absence of formal load or stress testing, our performance and transaction analysis is based on theoretical estimates and minimal-load observations within our current deployment. These estimates

have been derived from similar implementations documented in literature, industry benchmarks for Hyperledger Fabric, and our internal observations under light usage conditions. They provide a realistic starting point for understanding the system's behavior, with the understanding that comprehensive load testing will be required in the future for precise measurements.

Table 6 provides a structured summary of expected transaction throughput, latency, and resource utilization based on theoretical projections and observed minimal-load conditions.

Table 6: *Estimated Performance Metrics*

Metric	Estimated Value	Notes
Transaction Throughput	Approximately 30–40 transactions per second (TPS)	Estimated under minimal load; actual throughput may increase with optimization and load balancing measures.
Transaction Latency	Around 1–2 seconds on average	Represents the delay from transaction submission to ledger confirmation under normal operating conditions.
Resource Utilization	CPU usage at approximately 50–60% and stable memory usage under light load	Reflects resource consumption observed in our Docker environment with minimal concurrent transactions.

The **testing approach** ensures a structured evaluation of system performance, focusing on minimal-load observations, benchmark comparisons, and future evaluations:

- **Minimal-Load Observations:** These estimates are based on our internal observations when the system is not under stress. We monitored transaction submissions and confirmed timings under these controlled conditions.
- **Benchmark Comparisons:** The figures are cross-referenced with industry benchmarks and reported performance for similar Hyperledger Fabric deployments. This helps establish reasonable expectations for our system's behavior.
- **Future Evaluations:** While these numbers provide an initial snapshot, we plan to conduct comprehensive load and stress tests in future iterations to validate these estimates and refine performance parameters. Future

tests will help us identify bottlenecks, optimize resource allocation, and improve throughput and latency under realistic operational conditions.

The estimated performance figures, 30–40 TPS, 2–3 seconds latency, and moderate resource usage, reflect our system's capabilities under minimal load conditions. These values serve as a baseline for understanding system performance and guide our plans for further optimization and rigorous testing. We acknowledge that these metrics are preliminary and subject to refinement as we move toward more comprehensive performance evaluations.

The following figures illustrate key performance metrics of the system: Figure 5.1 presents stability and system resource consumption, Figure 5.2 showcases the average response time for adding a patient, and Figure 5.3 demonstrates the blockchain network's response when processing a transaction.




Figure 23: *Stability and system resource consumption*




Figure 23: Average response time to add a patient




Figure24: Blockchain network response to adding a transaction

5.3 User Experience and Interface Evaluation

In addition to technical performance, the overall user experience is critical for the success of a healthcare management system. Our evaluation of the user interfaces was based on qualitative assessments and initial user feedback gathered during internal demonstrations. Although formal usability testing has not been conducted under high-load conditions, the following observations

provide a realistic perspective on the current interface’s effectiveness and areas for improvement.

Table 7 provides a structured assessment framework, outlining key criteria, detailed descriptions, and corresponding observations or estimated ratings to systematically evaluate the system’s performance and effectiveness.

Table 7: Evaluation Criteria

Criterion	Description	Observations/Estimated Rating
Ease of Navigation	How intuitively users can navigate between different panels (Doctor, Patient, Admin).	High – Navigation is straightforward with clear menu options.
Responsiveness	The interface's ability to load quickly and adapt to various screen sizes and devices.	Moderate to High – UI responds well on desktop; minor delays noted on mobile devices.
Visual Design and Layout	The overall aesthetics, clarity of information, and logical organization of UI elements.	High – Modern, clean design with well-organized components.
Feedback and Error Handling	Clarity of user feedback, including error messages and confirmations during interactions.	Moderate – Feedback is present, though some error messages can be more descriptive.
Security Perception	User trust in the system based on visible security cues (e.g., login processes, token-based sessions).	High – Users report feeling secure due to clear login mechanisms and controlled access features.

The system demonstrates several key strengths, including intuitive navigation across different panels, responsive design optimized for various screen sizes, and a visually appealing interface that enhances clarity in healthcare data presentation. Additionally, user feedback highlights the importance of more descriptive error

messages, while security measures such as JWT-based session management contribute to user confidence in data protection.


- **Intuitive Navigation:** Users reported that the navigation between the Doctor Panel, Patient Viewer, and Admin Panel was intuitive, aided by a well-structured menu and consistent design patterns across the application.

- **Responsive Design:** The React-based frontend adapts effectively to different screen sizes, ensuring usability across desktop and mobile devices. However, some delays in rendering were observed on lower-end mobile devices, suggesting room for performance optimizations in the UI code.
- **Visual Appeal and Clarity:** The overall visual design of the interface is modern and clean, which helps in presenting complex healthcare data in a user-friendly manner. The clear layout aids in quickly identifying key information, reducing the cognitive load on users.
- **Feedback Mechanisms:** While the system provides basic error messages and confirmation alerts, users

indicated that more descriptive feedback could further enhance the experience, particularly when input errors occur or when critical operations are performed.


- **User Confidence in Security:** The implementation of secure login processes, including the use of JWT for session management, contributes to a sense of trust among users. This is crucial in healthcare settings where data sensitivity is paramount.

The system's intuitive navigation, modern design, and secure access mechanisms contribute positively to user satisfaction. Nonetheless, improvements such as enhanced error feedback and optimized mobile responsiveness have been identified as potential areas for further development. The following figures illustrate key aspects of system adaptability and authentication:



The image shows a mobile interface of the 'Doctor Portal'. At the top, there is a blue header bar with the text 'Doctor Portal' on the left and 'Logout' on the right. Below the header, the main content area is white and contains a form titled '+ Add New Patient'. The form has five input fields: 'Id', 'Name', 'Age' (with a dropdown arrow), 'BloodType', and 'Username'. The form is centered and has a subtle shadow.

Figure 25: Adapt to different interfaces 1



The image shows a desktop interface of the 'Doctor Portal'. At the top, there is a blue header bar with the text 'Doctor Portal' on the left and 'Logout' on the right. Below the header, the main content area is white and contains two forms. The first form is titled '+ Add New Patient' and has five input fields: 'Id', 'Name', 'Age' (with a dropdown arrow), 'BloodType', and 'Username'. Below these fields is a blue 'Add Patient' button. The second form is titled '+ Add Diagnosis' and has two input fields: 'Id' and 'Diagnosis', followed by a purple 'Add Diagnosis' button. Below the forms, there is a green success message: 'Patient TEST added successfully!'. At the bottom, there is a link labeled 'All Patients'.

Figure 26: Adapt to different interfaces 2




Figure 27: Adapt to different interfaces




Figure 28: Token file for the doctor's interface




Figure 29: Patient interface login error simulation




Figure 30: Valid login and obtain a Token file for the patient interface

5.4 Security and Data Integrity Assessment

Ensuring the security and integrity of patient data is paramount in any healthcare management system. Our blockchain-based solution leverages Hyperledger Fabric's inherent security features and additional custom security measures to safeguard sensitive

information. This section evaluates how effectively our system protects data and maintains robust security standards.

Table 8 provides a structured evaluation of key security features, their descriptions, and assessments, ensuring a comprehensive understanding of the system's security measures.

Table 8: Security Controls Assessment

Security Feature	Description	Assessment/Observations
Role-Based Access Control	Access is restricted through a combination of JWT-based authentication and Fabric's Membership Service Providers (MSPs).	Effective – Only authorized roles (doctor, patient, admin) can perform specific actions, reducing unauthorized access risks.
Digital Signatures	Each transaction is digitally signed using cryptographic keys stored in secure wallets, ensuring non-repudiation and traceability.	Effective – Ensures every operation on the ledger is verifiable and attributable to a valid identity.
Immutable Ledger	Once data is recorded, it cannot be altered, providing an unchangeable history of all transactions.	High Integrity – The immutable nature of blockchain guarantees that patient data remains tamper-proof.
Logical Deletion Mechanism	Instead of physically removing data, records are marked inactive, preserving audit trails while complying with legal requirements.	Well-Implemented – Maintains data integrity and historical records while meeting regulatory needs.
Secure Communication	TLS is utilized for encrypted data transmission between components, and secure API endpoints are protected via JWT tokens.	Secure – Ensures that data in transit remains confidential and protected from interception.

The system ensures data integrity through comprehensive auditability, robust error handling, consistent security enforcement, and regulatory compliance. Every transaction is recorded with metadata including timestamps, digital signatures, and unique IDs, creating a transparent audit trail that supports ongoing monitoring and compliance. Smart contracts incorporate extensive input validation and error handling to prevent data corruption. Consistency across frontend, backend, and blockchain layers is enforced through role-based access controls and blockchain immutability, reducing vulnerabilities. Security measures align with regulations such as HIPAA and GDPR, and logical deletion preserves full audit trails without compromising immutability.

Throughout development, several challenges emerged, including the technical integration of diverse components, configuration complexity in adapting the Hyperledger Fabric network, stringent security and compliance requirements, performance optimization under realistic transaction loads, and ensuring a reliable user experience despite underlying blockchain complexities. These challenges underscored the inherent difficulties of integrating blockchain technology into a secure and user-centered healthcare management system.

5.5 Overview of Challenges

Throughout the development and deployment of the healthcare management system, significant challenges emerged across technical integration, configuration, security, performance, and user experience. Integrating diverse components—such as the blockchain network, backend API, and frontend interfaces—

required extensive configuration and testing to ensure seamless interoperability. Adapting the Hyperledger Fabric test network involved intricate modifications to configuration files, environment variables, and Docker settings, where minor misconfigurations could disrupt network stability. Given the sensitivity of healthcare data, implementing stringent security measures and ensuring regulatory compliance while maintaining system performance posed continuous challenges. Additionally, performance optimization under realistic transaction loads and delivering a smooth, intuitive user experience despite underlying blockchain complexities demanded iterative refinement of both technical components and interface design. These issues underscore the multifaceted difficulties of integrating advanced blockchain technology into secure, user-centered healthcare systems, laying the groundwork for the detailed discussion of solutions and mitigation strategies that follows.

5.6 Security and Compliance Challenges

Given the highly sensitive nature of healthcare data, maintaining robust security measures and compliance with regulatory standards was a critical challenge throughout the project. This section details the security and compliance issues we encountered and how they influenced our system design.

Table 9 provides a structured analysis of key security challenges, their descriptions, and potential impacts, ensuring a comprehensive understanding of the risks associated with medical blockchain deployment.

Table 9: Critical Security Considerations in Medical Blockchain Implementation

Challenge	Description	Impact
Role-Based Access Control	Ensuring that only authorized users (doctors, patients, admins) could access specific functionalities was complex, especially when integrating with a blockchain system.	Required detailed configuration of JWT, middleware, and Fabric MSPs to prevent unauthorized transactions.
Data Integrity and Immutability	Guaranteeing that patient data remains unaltered once committed to the blockchain while allowing for logical deletion posed a significant challenge.	Balancing immutability with operational flexibility necessitated careful design decisions.
Regulatory Compliance	Adhering to healthcare data regulations (e.g., HIPAA, GDPR) meant that the system had to implement strict controls over data access, logging, and audit trails.	Ensured that all transactions were traceable and that sensitive data was handled according to legal standards, increasing development complexity.
Secure Identity Management	Managing digital identities and cryptographic keys for all participants, and integrating these into a blockchain framework, was technically demanding.	Introduced challenges in terms of certificate issuance, renewal, and secure storage within the system.

To enhance system security and regulatory compliance, several resolution strategies were implemented. Robust authentication and authorization were enforced through JWT-based authentication combined with role-based middleware, ensuring that sensitive operations, such as patient record modifications, were accessible only to authorized personnel. Blockchain’s inherent immutability was leveraged while employing a logical deletion mechanism—records were marked inactive rather than physically removed, preserving a complete audit trail to satisfy regulatory requirements. Comprehensive audit trails were established by digitally signing and logging every transaction, creating a verifiable record that supports compliance, deters unauthorized access, and aids in legal data tracking. Enhanced security protocols included Transport Layer Security (TLS) and best practices for secure configuration, supplemented by planned regular security audits and continuous monitoring to identify emerging threats. Secure identity and credential management were achieved through Hyperledger Fabric’s Certificate Authority (CA) and Membership Service

Providers (MSPs), ensuring that all blockchain transactions were traceable to verified identities and reinforcing both security and accountability. Collectively, these strategies enabled the system to meet rigorous security standards and comply with essential regulatory requirements, ensuring the protection of sensitive healthcare data while maintaining accessibility for authorized users.

5.7 Lessons Learned and Future Recommendations

The process of designing, deploying, and integrating a blockchain-based healthcare management system has provided us with valuable insights and lessons. In this section, we summarize these key lessons and propose recommendations for future enhancements.

Table 10 presents key lessons learned throughout the blockchain system development process, highlighting their implications for architecture, performance, and security improvements.

Table 10: Architectural Insights: Blockchain System Development Lessons

Aspect	Lesson Learned	Implication
Integration Complexity	Integration across diverse components (blockchain, backend, frontend) can be challenging and requires rigorous testing.	Continuous integration and robust testing frameworks are essential.
Configuration Management	Minor configuration errors can lead to significant deployment issues.	Centralized configuration management and clear documentation are critical.
Security Measures	Effective role-based access control and secure identity management are indispensable in handling sensitive healthcare data.	Layered security approaches and regular audits must be maintained.
Performance Optimization	Real-world performance under load can vary significantly from test environments.	Iterative performance tuning and stress testing are necessary for scalability.
User Experience	Simplifying complex backend processes for the end user is crucial for adoption.	Continuous refinement of the user interface is important to maintain usability.

To support future improvements, several recommendations have been identified:

1. **Enhanced Automation and CI/CD:**
- Develop a more comprehensive automated testing suite that covers unit, integration, and end-to-end tests.

○ Incorporate continuous integration/continuous deployment (CI/CD) pipelines to streamline updates and maintain system stability.
2. **Advanced Data Analytics:**
- Integrate real-time analytics and monitoring tools to track system performance, user interactions, and blockchain transaction patterns.

○ Use analytics to inform proactive optimizations and improve overall system responsiveness.
3. **Expanded Functionality:**
- Extend the data model to include additional patient details such as medication, allergies, and medical history.

○ Explore interoperability with existing electronic health records (EHR) systems to create a more integrated healthcare solution.
4. **Improved Security Audits:**
- Schedule regular third-party security audits and vulnerability assessments.

- Enhance logging and anomaly detection to quickly identify and mitigate potential security breaches.
5. **Scalability and Cloud Deployment:**
- Explore cloud-based deployment options to improve scalability and facilitate distributed network management.

○ Optimize the blockchain network configuration and backend API for high transaction volumes in real-world scenarios.

Through this project, we learned that while blockchain technology offers significant advantages for data integrity and security, its integration into complex systems demands meticulous planning, thorough testing, and continuous improvement. These lessons have not only helped us overcome current challenges but also provide a roadmap for future advancements in blockchain-based healthcare systems.

6. Conclusion and Future Work

6.1 Summary of Findings

In this final chapter, we summarize the key outcomes of our project and reflect on how our blockchain-based healthcare management system has met its objectives. Our findings demonstrate that integrating Hyperledger Fabric with modern web technologies offers a robust, secure, and scalable platform for managing sensitive healthcare data. Table 9.1 summarizes the key achievements.

Table11: Key System Implementation Outcomes

Aspect	Summary
Data Integrity & Immutability	We have successfully implemented an immutable ledger that ensures patient data cannot be tampered with, providing a secure audit trail.
Security & Access Control	Our use of JWT-based authentication, role-based access controls, and Fabric’s MSP has effectively safeguarded sensitive information.
System Integration	The integration between the blockchain, backend API, and React frontend has been achieved with minimal friction, ensuring seamless data flow.
Deployment & Configuration	Leveraging the Fabric test network and Docker Compose allowed us to rapidly deploy a production-like environment with consistent configurations.
User Interface & Experience	The user-friendly, responsive design of our frontend has resulted in positive initial feedback, confirming ease of navigation and clarity in data presentation.

The implementation of our blockchain-based healthcare system has led to several significant impacts:

Enhanced Trust: The immutability of our blockchain network, combined with robust security measures, has established a high level of trust among users regarding the integrity and confidentiality of their healthcare data.

Scalability and Adaptability: Although our performance metrics were estimated under minimal load conditions, our system architecture shows promise for scalability. The modular design allows for future enhancements without overhauling the core structure.

Practical Integration: Our approach to building upon the official Fabric test network by making targeted modifications demonstrates

the feasibility of adapting existing frameworks to meet specific industry needs.

In conclusion, our findings demonstrate that a blockchain-based approach significantly strengthens the security, integrity, and accessibility of healthcare data. The project has successfully achieved its core objectives while establishing a robust framework for future research and development. The insights gained throughout this process offer valuable guidance for system optimization, addressing integration challenges, and exploring new opportunities to enhance healthcare data management.

6.2 Project Impact and Contributions

Our project has made significant contributions to the field of healthcare data management by demonstrating how blockchain

technology can be effectively integrated to enhance security, transparency, and efficiency. The impact of our work can be

observed across several dimensions, as outlined with key contributions in Table 12

Table 12: Technical Contributions and System Impacts

Contribution Area	Impact
Enhanced Data Security	By leveraging Hyperledger Fabric's immutable ledger and role-based access controls, we have ensured that sensitive patient data remains secure and tamper-proof.
Improved Transparency and Auditability	The blockchain's transparent record-keeping provides a comprehensive audit trail for every transaction, fostering greater trust among stakeholders.
Modular and Scalable Architecture	Our modular design enables seamless integration of various components (blockchain, backend API, and frontend), allowing for future scalability and easy updates.
Rapid Deployment Using Established Tools	By adapting the official Fabric test network and utilizing Docker Compose, we achieved a rapid and consistent deployment process that can be replicated or extended in future projects.
Practical Demonstration of Blockchain in Healthcare	Our system serves as a practical prototype that bridges the gap between theoretical blockchain applications and real-world healthcare solutions.

Our blockchain-based healthcare system has delivered substantial benefits across several key areas:

- **Trust and Accountability:** The immutable nature of the blockchain ensures that once patient data is recorded, it cannot be altered without leaving a trace. This provides a verifiable and accountable system, fostering trust among healthcare providers and patients.
- **Compliance and Regulatory Readiness:** Comprehensive audit trails and secure identity management align the system with regulations like HIPAA and GDPR, demonstrating its potential to meet stringent healthcare compliance standards.
- **Operational Efficiency:** By integrating a secure backend API with a user-friendly frontend, the system streamlines data management processes, reducing administrative

overhead and enhancing overall healthcare operational efficiency.

- **Future-Proofing Healthcare Infrastructure:** The modular design and scalable architecture ensure the system can adapt to emerging healthcare needs, positioning it as a foundation for advanced and interconnected healthcare information systems.

6.3 Limitations of the Current System

While our project has demonstrated significant potential in enhancing healthcare data management through blockchain technology, several limitations were identified during the development and evaluation phases. Recognizing these limitations is essential for understanding our solution's current boundaries and guiding future improvements. Key limitations are highlighted in Table 9.3, followed by some points for further exploration.

Table 13: Current Challenges and Development Priorities

Limitation Area	Description	Implications
Performance Under Load	Our performance metrics are based on minimal-load observations and theoretical estimates.	Without comprehensive load testing, scalability and performance under real-world conditions remain unverified.
Integration with Legacy Systems	The current implementation is a standalone prototype and does not integrate with existing hospital information systems (HIS) or electronic medical records (EMR).	This limits immediate practical deployment in clinical environments that rely on legacy systems.
Advanced Functionality	The system focuses on core functions such as patient registration and diagnosis management but lacks extended features (e.g., comprehensive patient history, scheduling, billing).	Future enhancements are needed to address more complex healthcare workflows.
User Testing and Feedback	Our evaluation is primarily based on internal reviews and qualitative assessments.	Formal usability testing with end users (doctors, patients, and administrators) is required to validate the interface and user experience.
Security and Compliance Depth	While robust security measures are in place, full compliance with all regulatory requirements (such as HIPAA or GDPR) has not been exhaustively tested.	Additional security audits and compliance assessments are necessary to ensure readiness for real-world deployment.

- **Performance and Scalability:** The system's current performance metrics were obtained under minimal load. Consequently, the ability of our network to handle high transaction volumes remains theoretical. Future iterations should include comprehensive stress testing and load balancing to validate scalability.
- **Integration with Existing Systems:** Our prototype was developed as a self-contained solution. In practical healthcare environments, institutions rely on diverse legacy systems. Future work should focus on developing interfaces or middleware to enable seamless data exchange with these existing systems.
- **Feature Set and Functionality:** While the solution supports essential healthcare data management tasks, it lacks advanced features such as detailed medical history tracking, patient scheduling, and billing processes. Expanding its functionality will be a crucial next step.
- **User Experience Validation:** Although initial user interface evaluations were promising, formal usability studies involving real users are required. These studies would provide quantitative and qualitative insights to refine the interface and meet the needs of diverse stakeholders effectively.
- **Regulatory Compliance:** While our security model adheres to industry best practices, achieving full regulatory compliance requires ongoing assessments and audits. Future deployments must incorporate detailed compliance checks to meet stringent healthcare data protection regulations.

6.4 Future Work and Recommendations

While our current prototype lays a strong foundation for blockchain-based healthcare data management, there remain several opportunities for further development and improvement. In this section, we outline key areas for future work and provide recommendations to enhance the system's functionality, scalability, and integration capabilities. Table 9.4 summarizes the key areas for future work. To further advance the capabilities and impact of our blockchain-based healthcare system, the following recommendations have been outlined:

- **Automated Testing and CI/CD Pipeline:** Implement an automated testing framework that encompasses unit, integration, and end-to-end tests. Integrating a continuous integration/continuous deployment (CI/CD) pipeline will ensure rigorous testing of new updates and reliable deployment processes.
- **Enhanced Analytics and Monitoring:** Incorporate advanced monitoring tools to provide real-time analytics on system performance, user behavior, and blockchain transaction metrics. These insights will enable proactive optimizations and the early detection of potential issues.
- **User Training and Documentation:** Develop comprehensive documentation and training materials for both technical and non-technical stakeholders. This approach will simplify adoption and ensure effective user interaction with the system.

- **Pilot Programs and Field Trials:** Partner with healthcare institutions to pilot the system in real-world environments. Feedback from these trials will be instrumental in refining system features and addressing unforeseen challenges.
- **Security Enhancements:** Continuously monitor emerging security threats and update the system's security protocols accordingly. Regular third-party security audits will maintain a robust defense against vulnerabilities.

Future efforts for our healthcare management system should prioritize validating performance under realistic conditions, integrating with existing healthcare infrastructures, and broadening the system's functionality to encompass more clinical needs. By implementing these recommendations, we can enhance system reliability, usability, and compliance, paving the way for widespread adoption and long-term success within the healthcare sector.

References

1. Hyperledger Fabric Documentation. (n.d.). *Hyperledger Fabric*. Retrieved April 2, 2025, from <https://hyperledger-fabric.readthedocs.io/>
2. Linux Foundation. (n.d.). *Hyperledger Fabric*. Retrieved April 2, 2025, from <https://www.hyperledger.org/use/fabric>
3. Ekblaw, A., Azaria, A., Halamka, J., & Lippman, A. (2016). MedRec: Using Blockchain for Medical Data Access and Permission Management. In *Proceedings of the 2016 ACM Workshop on Blockchain, Cryptocurrencies and Contracts* (pp. 25–30). Retrieved from <https://doi.org/10.1145/2994581.2994585>
4. Agbo, C. C., Mahmoud, Q. H., & Eklund, J. M. (2019). Blockchain Technology in Healthcare: A Comprehensive Review and Directions for Future Research. *Applied Sciences*, 9(18), 3607. <https://doi.org/10.3390/app9183607>
5. IBM Blockchain. (n.d.). *IBM Blockchain in Healthcare*. Retrieved April 2, 2025, from <https://www.ibm.com/blockchain/solutions/healthcare>
6. Medicalchain. (2018). *Medicalchain Whitepaper*. Retrieved April 2, 2025, from <https://medicalchain.com/>
7. Estonian e-Health Foundation. (n.d.). *Estonian e-Health*. Retrieved April 2, 2025, from <https://e-estonia.com/solutions/healthcare/>
8. Xu, X., Weber, I., & Staples, M. (2019). *Architecture for Blockchain Applications*. Springer. Retrieved from <https://www.springer.com/gp/book/9783030090741>
9. Crosby, M., Pattanayak, P., Verma, S., & Kalyanaraman, V. (2016). Blockchain Technology: Beyond Bitcoin. *Applied Innovation Review*, 2(6–10), 71. Retrieved from <https://j2-capital.com/wp-content/uploads/2017/11/AIR-2016-Blockchain-Technology-Beyond-Bitcoin.pdf>
10. World Health Organization. (2016). *Global Diffusion of eHealth: Making Universal Health Coverage Achievable*.

- Retrieved from
https://www.who.int/goe/publications/global_diffusion/en/
11. IEEE. (2018). Blockchain Technology for Healthcare: A Survey. Retrieved April 2, 2025, from
<https://ieeexplore.ieee.org/document/8441659>
12. Radanović, I., & Likić, R. (2018). Opportunities for Use of Big Data in Healthcare. *Journal of Healthcare Informatics Research*, 2(2), 95–107. <https://doi.org/10.1007/s41666-018-0027-8>
13. Mettler, M. (2016). Blockchain Technology in Healthcare: The Revolution Starts Here. *Blockchain in Healthcare Today*, 1(1), 2–5. Retrieved from
<https://blockchainhealthcareday.com/index.php/journal/article/view/39>
14. Kuo, T. T., Kim, H. E., & Ohno-Machado, L. (2017). Blockchain Distributed Ledger Technologies for Biomedical and Health Care Applications. *Journal of the American Medical Informatics Association*, 24(6), 1211–1220. <https://doi.org/10.1093/jamia/ocx068>
15. World Economic Forum. (2018). *Building Block(chain)s for a Better Planet*. Retrieved from
<https://www.weforum.org/reports/building-block-chain-for-a-better-planet>.