

Advanced Spatial Intelligence and Edge-Driven Artificial Intelligence in Modern Geospatial Engineering: A Comprehensive Review

Dr. Ambrose Ndubuisi Ekebuike^{1*}, Yusuf Aliyu Adamu²

¹Department of Surveying and Geoinformatics, Nnamdi Azikiwe University, Awka, Nigeria

²Department of information and communication Technology, Northwest University Kano.

*Corresponding Author

Dr. Ambrose Ndubuisi Ekebuike

Email: Evans.ekeson@gmail.com

Article History

Received: 23.05.2026

Revised: 18.07.2026

Accepted: 06.08.2026

Published: 29.08.2026

Abstract: The growing combination of geospatial technologies, Artificial Intelligence (AI), and edge computing is changing the field of spatial analysis, environmental monitoring, and infrastructural design. This article gives a thorough summary of the way modern computer science approaches—namely machine learning (ML), deep learning (DL), container orchestration using Kubernetes, and ultra-reliable low-latency communications (URLLC)—are being incorporated into geospatial geoinformatics. Instead of carrying out processing in centralised cloud systems, geospatial systems can now handle high-resolution Earth Observation (EO) data, LiDAR point clouds, and Internet of Things (IoT) spatial streams in near real-time by moving the processing tasks to the network edge.

We look systematically at the basic methods involved in spatial intelligence, containerized orchestration, multi-sensor data fusion, and edge deployment architectures. Moreover, we combine the more recent literature from a range of disciplines to show the way in which spatial technologies directly contribute to the UN Sustainable Development Goals (SDGs), help reduce regional environmental degradation, and improve university-based entrepreneurial ecosystems. Lastly, the main research gaps—such as the problem of bandwidth limitations in remote areas, model drift in changing environments, and governance constraints—are identified, together with specific future directions for next-generation spatial computing.

Keywords: Spatial Intelligence, edge computing, geoinformatics, deep learning, Kubernetes orchestration, sustainable development, sensor fusion, geospatial AI (GeoAI).

This work is licensed under a [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/)

Cite this article:

Ekebuike, A. N, Adamu, Y. A., (2026). Advanced Spatial Intelligence and Edge-Driven Artificial Intelligence in Modern Geospatial Engineering: A Comprehensive Review. *ISAR Journal of Multidisciplinary Research and Studies*, 4(8), 42-47.

1. Introduction


Geospatial science is experiencing a fundamental change in its structure. In the past it had been defined by static data collection, the manual creation of spatial query models, and the use of centralised desktop GIS analysis; today the field lies at the junction of continuous remote sensing, large volumes of vector and raster data streams, and distributed high-performance computing. The increasing number of Unmanned Aerial Vehicles (UAVs), satellite constellations (such as Sentinel and PlanetScope), high-density Light Detection and Ranging (LiDAR) sensors, and widespread spatial IoT devices has led to an unprecedented amount, speed, and range of geospatial data.

At the same time, Artificial Intelligence (AI) and Machine Learning (ML)—together referred to as Geospatial AI (GeoAI)—have become essential for use in automated feature extraction, the classification of land use/land cover

(LULC), object detection, and predictive spatial modelling. Yet traditional cloud-based computing systems have difficulty dealing with the latency, the amount of bandwidth used, and the security issues that arise when terabytes of raw spatial data are transferred to central data centres.

In order to meet these challenges, Edge Computing has become a vital approach by bringing computation tasks nearer to the location where the data is collected. Together with advanced container orchestration tools such as Kubernetes, edge-based GeoAI allows for autonomous real-time analytics to be carried out in areas including disaster response, precision agriculture, the management of smart infrastructure, and sustainable land surveying. This review brings together the technical, methodological, and applied aspects of AI and computer science in the field of geospatial geoinformatics, outlining a route towards scalable, edge-intelligent spatial systems.

FIGURE 1: EDGE-DRIVEN GEOAI ARCHITECTURE WORKFLOW



2. Methodology

The review employs a systematic and multi-stage bibliometric and synthesis approach in order to examine the intersection of computer science, AI, and geospatial technologies. The method of operation consists of three separate phases:

- Phase 1: Literature Identification** – A search was carried out across the primary databases such as IEEE Xplore, Web of Science, Scopus, Google Scholar, and SSRN. The search strings combined domain-specific terms: ("GeoAI" OR "Geospatial AI") AND ("Edge

Computing" OR "Kubernetes") AND ("Sustainable Development" OR "Land Surveying").

- Phase 2: Inclusion and Exclusion Criteria** – Studies were included if they offered new methodological frameworks, empirical evidence regarding the integration of AI with edge systems in spatial terms, or critical evaluations of domain-specific infrastructure. Those opinion pieces which were not peer-reviewed and articles that lacked rigorous validation were excluded.

3. **Phase 3: Synthesis and Categorization** – The selected literature was categorized into thematic domains:
- (a) Deep Learning and Computer Vision algorithms for Spatial Feature Extraction,
 - (b) Distributed Edge Computing and Kubernetes Orchestration,
 - (c) Real-time Communications (5G/URLLC) for Sensor Networks, and
 - (d) Socio-Technical Applications: Sustainable Land Surveying, Environmental Compliance, and Entrepreneurial Ecosystems.

3. Literature Synthesis

The field of modern geoinformatics is based on combining data engineering, software infrastructure, and specific practices relating to land management. This section brings together the major technological developments and the various applied frameworks from all of these areas.

3.1 GeoAI and Deep Learning Frameworks

Deep learning models, specifically Convolutional Neural Networks (CNNs), Vision Transformers (ViTs), and Graph Neural Networks (GNNs), have greatly enhanced the processing of both raster and vector data. CNNs such as U-Net, ResNet, and Mask R-CNN allow for the semantic

segmentation of satellite and aerial imagery and thus enable the automatic extraction of land boundaries, the detection of building footprints, and the monitoring of crops. Graph Neural Networks are able to model non-Euclidean spatial relationships and represent road networks, utility grids, and spatial flow matrices more effectively than traditional vector operations.

3.2 Edge Computing and Kubernetes Orchestration in Infrastructure

The need to process huge spatial datasets at the edge can only be met with scalable computing infrastructure. Nowadays, the design of infrastructure tends to include edge nodes (which can be deployed on UAVs, on field equipment or at local gateways) so that immediate data processing can be carried out, with the noise being filtered out before the summarised vectors are transmitted to cloud repositories (Mustyala, 2024).

There are operational difficulties involved in managing edge deployments on a large scale. According to Mustyala (2023), Kubernetes operators automate the lifecycle management of complex, stateful geospatial applications on distributed edge devices. They achieve automated scaling, self-healing, and dynamic resource allocation for edge-deployed ML models by encoding operational knowledge into custom controllers.

TABLE 1: Architectural Layers of Edge-Driven Geospatial Intelligence Systems

Technological Layer	Key Technologies	Primary Geospatial Function	Operational Benefit
Edge Hardware	NVIDIA Jetson, ARM Cortex, Raspberry Pi	In-field AI inference, LiDAR point cloud processing	Reduces raw data transmission by >80%
Networking	5G URLLC, Starlink, Ad-Hoc Mesh	Low-latency sensor-to-edge data streaming	Enables real-time telemetry (<1ms latency)
Orchestration	Kubernetes, K3s, Kubernetes Operators	Automated lifecycle & model management at edge	Ensures continuous deployment & resilience
GeoAI Engine	TensorRT, PyTorch Mobile, OpenCV	Object detection, semantic segmentation, boundary parsing	Autonomous spatial decision-making

3.3 High-Speed Networks and Sensor Fusion

For edge-based spatial systems it is necessary to have reliable communication channels. Ultra-Reliable Low Latency Communication (URLLC), which is included in both 5G and ad-hoc networking protocols, offers the low latency required for real-time mobile mapping, for autonomous vehicle navigation, and for swarm UAV surveys (Abe & Emmanuel, 2024). By using sensor fusion methods—that is, combining data from the Global Navigation Satellite System (GNSS), Inertial Measurement Units (IMU), and optical/LiDAR sources—field instruments

are able to produce high-precision positional data even when GNSS is not available.

3.4 Applied Fields: Sustainable Surveying, the Environment, and Society

The practical value of integrating AI and edge computing is evident across several key domains:

- Sustainable land surveying: Modern geospatial technologies facilitate sustainable land administration by speeding up boundary mapping, settling disputes over land tenure, and helping to

establish the cadastral systems which are essential for economic development (Ekebuike, 2025).

- Environmental Governance: Modern spatial telemetry helps track compliance and spot environmental harm, like industrial pollution in important ecological areas (Lori et al., 2025).
- For the thermal management of remote infrastructure: when high-performance edge computing infrastructure is being deployed in harsh field conditions it is necessary to have optimized thermal control; Phase Change Materials (PCMs) offer passive cooling for domestic and remote battery storage systems and ensure the operational stability of off-grid geospatial sensors (Akeiber, 2025).
- Academic and entrepreneurial ecosystems: The creation and implementation of such complex technological systems depend on appropriate


institutional settings. Using technology theories in relation to entrepreneurial ecosystems based at universities helps to overcome the gap between academic research in GeoAI and its commercial application (Ogbara, 2024).

- Interdisciplinary communication: The need for effective interdisciplinary communication and education within technical environments becomes clear when complex engineering solutions are implemented across global teams (Murad et al., 2025).

4. Discussion

The combining of computer science paradigms with geospatial geoinformatics marks a shift in structure from passive retrospective mapping to active real-time spatial intelligence.

FIGURE 2: Paradigm Shift in Geospatial Engineering



4.1 Edge Computing and Orchestration Synergy

Traditional geospatial work processes are hampered by latency problems resulting from the ingestion of data from the cloud. It is usually impractical to transmit uncompressed 4K aerial images or multi-gigabyte LiDAR point clouds over cellular networks while carrying out field operations. The issue of this constraint can be solved by processing the data directly at the edge.

The situation becomes more complicated when it comes to managing a variety of edge nodes in isolated environments, since Kubernetes operators deal with this by considering the field-deployed edge devices as part of an extensible and

self-healing cluster. Should an edge node which is running a land-cover segmentation model suffer memory degradation, the operator will automatically restart the container, reschedule the workloads, or redistribute the tasks among the neighbouring nodes all without any need for human intervention.

4.2 Sustainable land surveying and economic development

Geospatial technologies have a direct effect on sustainable land management; precision surveying methods, which are improved by GeoAI-powered boundary identification, lower the cost and time needed to set up formal land titles. Formal land tenure encourages agricultural investment, makes

infrastructure planning easier, and helps to reduce land disputes (Ekebuike, 2025).

In addition, by incorporating real-time environmental monitoring tools, regulatory authorities are able to keep track of land degradation, illegal extraction of resources, and urban sprawl. The use of high-resolution spatial data enables the translation of high-level policy goals (for example the UN SDGs) into verifiable results on the ground.

5. Research Gaps

Despite recent technological progress, several critical research gaps remain unaddressed:

1. The limitations relating to bandwidth and processing in highly constrained environments: Although edge hardware has improved, it is still difficult to run complex 3D transformer architectures on low-power field equipment. The compression methods available, such as quantization and pruning, usually result in a loss of spatial accuracy, which is not acceptable when conducting legal boundary surveys.
2. Spatial model generalisation and concept drift: GeoAI models which have been trained on urban areas often perform poorly when they are used in rural, equatorial, or densely forested regions because of the differences in vegetation, terrain, and lighting.
3. Automated multi-modal data fusion at the edge: it is still a complex algorithmic problem to integrate asynchronous raster, vector, point cloud, and tabular text data in real time at the edge.
4. Gaps in governance, compliance, and data integrity: The current regulatory frameworks are unable to keep up with the developments in automated spatial decision-making. There remain continuous policy difficulties regarding the legal admissibility of property boundaries determined by AI or environmental violations detected by algorithm (Lori et al., 2025).

6. Future Perspectives

Addressing these challenges requires focused research across several key domains:

- Research in the future should be directed towards UAV swarms that are completely autonomous, operating through low-latency ad-hoc networks (5G URLLC). These swarms will cooperate in dividing up the areas to be surveyed, carry out the processing of spatial features at the edge, and dynamically modify their coverage paths in response to the terrain features they detect.

- By incorporating spatial topology constraints directly into the loss functions of deep learning models, physics-informed and spatially explicit machine learning can help avoid impossible physical predictions (such as overlapping legal land titles or discontinuous hydrologic networks).
- By combining spatial data processed at the edge with decentralized ledger technologies (Blockchain), decentralized and immutable cadastral systems can be created, leading to tamper-proof, real-time cadastral registers and a reduction in land fraud along with faster real estate transactions.
- By developing low-power hardware that is optimized using advanced thermal management materials (Akeiber, 2025), hybrid thermal and energy harvesting systems will make it possible to deploy autonomous environmental sensors over the long term in severe climates.

7. Conclusion

The coming together of artificial intelligence, edge computing, high-speed communication networks, and geospatial geoinformatics is laying the groundwork for spatial analysis. By shifting the process of analysis from centralised cloud data centres to distributed edge nodes, continuous, low-latency, and autonomous Earth observation becomes possible.

These technological advances directly contribute to sustainable development, land administration, environmental compliance, and infrastructure management. Overcoming the existing challenges relating to model generalization, edge hardware optimization, and policy governance will enable geospatial engineering to provide real-time spatial intelligence for the benefit of a global scale.

Declarations

- Funding: This study obtained no specific grant from any agency located in the public, commercial, or not-for-profit sectors.
- Conflict of interest / Competing interests: The author has no conflicts of interest with respect to the publication of this article.
- Ethics approval is not required (since this is a literature-based review study).
- Consent to Participate: Not relevant.
- Agreement to publication: The author agrees to the publication of this manuscript.
- Availability of data: Since no new empirical datasets were created as part of this review, data sharing does not apply.
- Code Availability: Not relevant.

- Author Contributions: Dr. Ambrose Ndubuisi Ekebuike designed the study, carried out the review synthesis, developed the methodological framework, and prepared the manuscript.

References

- [1] Abe, G. T., & Emmanuel, S. (2024). 5G-AdHoc: Enabling Ultra-Reliable Low Latency Communication (URLLC) in Ad Hoc Networks. *ISAR Journal of Multidisciplinary Research and Studies*, 2(6), 36-45.
- [2] Akeiber, H. J. (2025). Harnessing Phase Change Materials for Effective Cooling in Domestic Battery Storage for Renewable Energy. *ISAR Journal of Science and Technology*, 3(3), 58-73.
- [3] Ekebuike, A. N. (2025). Integrating geospatial technologies in land surveying can support sustainable development. *World Journal of Multidisciplinary Studies*, 2(6), 30-33.
- [4] Janowicz, K., Gao, S., McKenzie, G., Hu, Y., & Bhaduri, B. (2020). GeoAI: spatially explicit artificial intelligence techniques for geographic knowledge discovery and problem-solving. *Cartography and Geographic Information Science*, 47(4), 275-282.
- [5] Lori, U., Akpofure, R. R., & Onosemuode, C. (2025). Governance Gaps and Compliance Challenges in Industrial Pollution Control: Evidence from the Niger Delta. *ISAR Journal of Science and Technology*, 3(9), 28-34.
- [6] Murad, T., Assadi, J., & Al-Rassim, M. (2025). Challenges in English speaking: Palestinian Arab students at Israeli colleges. *The Educational Review, USA*, 9(1).
- [7] Mustyala, A. (2023). Kubernetes Operators: Enhancing DevOps Automation in Container Orchestration. Available at SSRN 5070328.
- [8] Mustyala, A. (2024). Infrastructure: The Role of Edge Computing in Modern Infrastructure Design. Available at SSRN 5070330.
- [9] Ogbara, S. (2024). Technological theories: Substantive application in developing university-based entrepreneurial ecosystem. *ISAR Journal of Multidisciplinary Research and Studies*, 2(12), 8-12.
- [10] Shi, W., Cao, J., Zhang, Q., Li, Y., & Xu, L. (2016). Edge computing: Vision and challenges. *IEEE Internet of Things Journal*, 3(5), 637-646.